

**Important Information:** Our Privacy Statement has been updated. To review our current Privacy Statement and to understand how HP Inc. collects and uses information, please click [here](#).



Laptops &amp; 2-in-1s

Desktops

BusinessPremiumGamingLaptopsZBook WorkstationsConvertibles BusinessGamingTowersZ WorkstationsAll-in-ones

## HP LaserJet Pro M1213nf Multifunction Printer Specifications

Printers

3D Print

Ink &amp; toner

Displays &amp; accessories

Home & home officeBusinessInk tank systemPrinters & all-in-onesScannersLarge format & digital presses  
 MULTITASKING SUPPORTED Yes DisplaysAccessories

**PRINT SPEED BLACK** Normal: Up to 18 ppm Exact speed varies depending on the system configuration, software program, and document complexity.  
 Business solutions SecurityServicesSoftwareVRSmall & medium business

**FIRST PAGE OUT BLACK (A4, READY)** As fast as 8.5 sec

Support

**PRINT SPEED COLOR** Normal: Exact speed varies depending on the system configuration, software program, and document complexity.

Support & troubleshootingProductsSoftware & driversDiagnostic toolsCommunityService center locationsHP CareSpare parts store

**FIRST PAGE OUT (READY)** Black: As fast as 8.5 sec Exact speed varies depending on the system configuration, software program, and document complexity.

**FIRST PAGE OUT (SLEEP)** Black: Exact speed varies depending on the system configuration, software program, and document complexity.

**FIRST COPY OUT** Exact speed varies depending on the system configuration, software program, and document complexity.

**FIRST COPY OUT (SLEEP)** Exact speed varies depending on the system configuration, software program, and document complexity.

**DUTY CYCLE (MONTHLY, A4)** Up to 8000 pages Duty cycle is defined as the maximum number of pages per month of imaged output.

**RECOMMENDED MONTHLY PAGE VOLUME** 250 to 2000 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

**PRINT TECHNOLOGY** Laser

**PRINT QUALITY BLACK (BEST)** Up to 600 x 600 dpi (1200 dpi effective)

**PRINT LANGUAGES** Host-based

**DISPLAY** 2-line LCD

**PROCESSOR SPEED** 400 MHz

**AUTOMATIC PAPER SENSOR** No

**REPLACEMENT CARTRIDGES** HP LaserJet Black Print Cartridge CC388A

**HP EPRINT CAPABILITY** No

**MOBILE PRINTING CAPABILITY** HP ePrint, Apple AirPrint™ May require a firmware upgrade to be HP ePrint or AirPrint™ compatible, download at <http://www.hp.com/go/support>

**WIRELESS CAPABILITY** No

**CONNECTIVITY, STANDARD** Hi-Speed USB 2.0 port; 10/100Base-T Ethernet network port; RJ-11 Telephone port

**CONNECTIVITY, OPTIONAL** None

**NETWORK READY** Standard (built-in Ethernet)

**MINIMUM SYSTEM REQUIREMENTS** Microsoft® Windows® 7, Windows Vista®, Windows® XP, Windows® Server 2003: 1 GHz processor, 1 GB RAM, 700 MB free hard disk space, SVGA 800 x 600 with 16-bit colour



	display, Internet Explorer 5.5 or higher, USB or Ethernet port Mac OS X v 10.4, v 10.5, v 10.6; PowerPC G3, G4, G5, or Intel processors; 1 GB RAM; 200 MB available hard disk space; CD-ROM drive; USB or network port
<b>COMPATIBLE OPERATING SYSTEMS</b>	Windows 8, Windows 7, Windows Vista, Windows XP, Windows Server 2008, Windows Server 2003; Mac OS X v10.4, v10.5, v10.6; Linux (see hplip.net)
<b>OPERATING SYSTEM (SUPPORTED NOTE)</b>	For Windows® Server 2003 and Windows® Server 2008, add Print and Scan drivers only
<b>MEMORY CARD COMPATIBILITY</b>	No
<b>MEMORY</b>	64 MB
<b>MEMORY, MAXIMUM</b>	64 MB
<b>PAPER HANDLING INPUT, STANDARD</b>	150-sheet input tray
<b>PAPER HANDLING OUTPUT, STANDARD</b>	100-sheet face-down bin
<b>MAXIMUM OUTPUT CAPACITY (SHEETS)</b>	Up to 100 sheets
<b>DUPLEX PRINTING</b>	Manual (driver support provided)
<b>MEDIA SIZES SUPPORTED</b>	A4; A5; ISO B5; ISO C5; ISO C5/6; ISO C6; ISO DL; 16K; European postcard; J postcard (Hagaki); J double postcard (Oufuku Hagaki)
<b>MEDIA SIZES, CUSTOM</b>	76 x 127 to 216 x 356 mm
<b>MEDIA TYPES</b>	Paper (plain, laser), envelopes, transparencies, labels, cardstock, postcards
<b>MEDIA WEIGHT, SUPPORTED</b>	60 to 163 g/m <sup>2</sup>
<b>MEDIA WEIGHTS, SUPPORTED ADF</b>	60 to 90 g/m <sup>2</sup> (16 to 24 lb) bond
<b>SCANNER TYPE</b>	Flatbed, ADF
<b>SCAN FILE FORMAT</b>	JPEG, TIF (compressed and uncompressed), PDF, GIF, BMP
<b>SCAN RESOLUTION, OPTICAL</b>	Up to 1200 dpi
<b>SCAN SIZE (ADF), MAXIMUM</b>	216 x 356 mm
<b>SCAN SIZE (ADF), MINIMUM</b>	152 x 114 mm
<b>SCAN SPEED (NORMAL, A4)</b>	Up to 7.4 ppm (b&w), up to 3 ppm (color)
<b>DUPLEX ADF SCANNING</b>	No
<b>AUTOMATIC DOCUMENT FEEDER CAPACITY</b>	Standard, 35 sheets
<b>DIGITAL SENDING STANDARD FEATURES</b>	Scan to E-mail; scan to application; scan to file
<b>FILE FORMAT SUPPORTED</b>	PDF; TIF; BMP; GIF; JPG
<b>SCAN INPUT MODES</b>	Scanning via HP LaserJet scan application or TWAIN—or WIA-compliant application software
<b>COPY SPEED (NORMAL)</b>	Black: Up to 18 cpm Color:
<b>COPY RESOLUTION (BLACK TEXT)</b>	Up to 600 x 400 dpi
<b>COPY RESOLUTION (COLOR TEXT AND GRAPHICS)</b>	Up to 600 x 400 dpi
<b>COPY REDUCE / ENLARGE SETTINGS</b>	25 to 400%
<b>COPIES, MAXIMUM</b>	Up to 99 copies
<b>FAXING</b>	Yes
<b>FAX TRANSMISSION SPEED</b>	33.6 kbps Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
<b>FAX MEMORY</b>	Up to 500 pages
<b>FAX RESOLUTION BLACK (BEST)</b>	Up to 300 x 300 dpi
<b>FAX SPEED DIALS, MAXIMUM NUMBER</b>	Up to 100 numbers
<b>POWER</b>	Input voltage 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz)
<b>POWER CONSUMPTION</b>	375 watts (printing), 245 watts (copying), 4.7 watts (ready), 2 watts (sleep), 0.3 watts (off) Values subject to change. See

<http://www.hp.com/support> for current information. Power numbers are the highest values measured using all standard voltages. Default time from Ready-Mode to Auto-Off: 15 minutes

<b>ENERGY EFFICIENCY</b>	CECP
<b>OPERATING TEMPERATURE RANGE</b>	10 to 32.5° C
<b>RECOMMENDED OPERATING HUMIDITY RANGE</b>	10 to 80% RH
<b>ACOUSTIC POWER EMISSIONS (READY)</b>	Inaudible Measured according to ISO 7779 and declared in accordance with ISO 9296; values are subject to change. For current information, see <a href="http://www.hp.com/support">http://www.hp.com/support</a> . Configuration tested: LaserJet Pro M1212nf MFP printing simplex on A4 paper.
<b>ACOUSTIC PRESSURE EMISSIONS BYSTANDER (ACTIVE, PRINTING)</b>	50 dB(A)
<b>WHAT'S IN THE BOX</b>	HP LaserJet Pro M1213nf MFP, power cord(s), phone cord(s), 150-sheet input tray, output tray, introductory HP LaserJet Black print cartridge, Readiris PRO text recognition software, CD(s) with software and documentation, Installation Guide, support flyer, Errata sheet, Discovery Sheet, Ferrite with flyer, Warranty Guide (where applicable), USB cable.
<b>CABLE INCLUDED</b>	Yes, 1 USB cable.
<b>SOFTWARE INCLUDED</b>	Host-based print drivers, TWAIN, WIA, Scan to application, XPS driver, Mac driver, Send Fax, Toolbox.
<b>WARRANTY</b>	1 Year Next Business Day Exchange Support

Country/Region : India

#### About us

Contact HP  
Careers  
Investor relations  
Sustainable impact  
Press center  
The Garage

#### Ways to buy

Shop online  
Store locator  
Call an HP rep  
Find a reseller

#### Support

Download drivers  
Support & troubleshooting  
Community  
Register your product  
Service center locations  
Check warranty status  
Training & certification

#### HP Partners

HP Partner First program  
HP Partner First Portal  
Developers

#### Stay connected



[Recalls](#) | [Product recycling](#) | [Accessibility](#) | [India CSR Policy](#) | [Site Map](#) | [Privacy](#) | [Terms of use](#) | [Use of Cookies](#)

© Copyright 2020 HP Development Company, L.P.