



Ordering Information

Commercial model number:
CE459A (ABA/201)

Canada model number:
CE459A (ABA)

Sidebar

In the box:

Print cartridge²
Support flyer
Software and user's guide on CD-ROM
Power cord
Built-in HP Jetdirect Gigabit Ethernet networking

Software:

HP printer software on CD-ROM: installer/uninstaller; drivers (HP PCL 6); HP Toolbox FX for diagnostic status and configuration; HP Embedded Web Server; help; documentation

Software:

Installer/uninstaller
Print drivers (HP PCL 6)
Documentation
Help
HP Toolbox FX

Standard warranty:

1 year, Return to HP Authorized Service Center

Replaces

[HP LaserJet P2015 Printer](#) CB366A [Compare](#)

[HP LaserJet P2015d Printer](#) CB367A [Compare](#)

[HP LaserJet P2015dn Printer](#) CB368A [Compare](#)

[HP LaserJet P2015x Printer](#) CB369A [Compare](#)

HP Care Pack Options

Recommended Care Packs

Installation with Network Setup Service

H3110E

A compact, high-performance laser printer with built-in gigabit networking and management tools.

Increase productivity for up to eight users with quick and reliable gigabit networking, fast print speeds, simplified management, advanced security features and resource-conserving print options.



Give your workgroup the power to get more done. This compact laser printer packs fast print and processing speeds, and built-in high-speed connectivity, with automatic two-sided printing and optional high-volume paper tray.¹

This laser printer is designed to be easy from setup to management. Features like the all-in-one print cartridge, LCD control panel, built-in gigabit networking and printer management software make this one productive machine for a fleet of users.

Save valuable desktop space without compromising quality. Get professional-looking documents with crisp text and sharp images using Original HP Print Cartridges specially designed for this compact printer.

Compatible Operating Systems

Standard Desktop

Windows 2000	*
Windows XP	32/64-bit
Windows Server 2003	32/64-bit
Windows Vista®	32/64-bit
Windows® 7	32/64-bit
UNIX®	*
Linux	See http://www.hplip.net
Mac OS	Mac OS X v 10.4, 10.5, 10.6

Standard Network

Windows 2000	*
Windows XP/XP 64-bit	*
Windows Server 2003	2003/2003 64-bit
Windows Vista®	*
Other	Mac OS X v 10.3.9, 10.4.3, 10.5; Red Hat Linux 7.x and later; SuSE Linux 8.x and later; Citrix MetaFrame Server

Optional Desktop/Network

Optional Desktop/Network	Windows 2000 (drivers only), Windows XP/XP 64-bit (drivers only), Windows Server 2003, Windows Vista/64-bit (drivers only); Novell; Mac OS X v 10.3.9, 10.4.3, 10.5; Linux; Unix
--------------------------	--

Additional Information

Next Business Day Exchange: 3 years **UK929E**

Optional Care Packs

Installation with Network Setup Service **H3110E**

Next Business Day Onsite: 3 years **UK932E**

Next Business Day Exchange: 3 years **UK929E**

Next Business Day Exchange: 4 years **UL641E**

Post Warranty Service, Remote User Assistance Support: 1 year **HC126PE**

Post Warranty Service, Next Business Day Onsite: 1 year **UK936PE**

Post Warranty Service, Next Business Day Exchange: 1 year **UK935PE**

Sales	www.hp.com
Technical Support	Data Sheet 4AA2-8525ENUC
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com


Brand Specifications

PRINTER

Print Speed Black, Letter:	
Best Quality	Up to 35 ppm ³
First Page Out	As fast as 8.0 sec from Ready mode
Processor	600 MHz
Paper Trays, Std	2
Paper Trays, Max	3
Input Capacity, Std	300 sheets
Input Capacity, Max	800 sheets
Output Capacity, Std	150 sheets
Output Capacity, Max	150 sheets
Envelope Input, Std	5
Envelope Feeder	Yes
Two-Sided Printing	Automatic (standard)
Typefaces	45 scalable TrueType fonts and 35 PostScript® fonts; 11 scalable TrueType fonts and 11 non-scalable Line Printer fonts (PCL 5c only)
Prints Color	No
Print Quality, Black Best	Up to 1200 x 1200 dpi
Print Resolution Technology	HP ProRes 1200, HP FastRes 1200
Print Languages, Std	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation; automatic language switching
Printer Management	HP Toolbox FX, HP Embedded Web Server, print drivers

GENERAL

Duty Cycle, Monthly	50,000 pages
Recommended Monthly Volume	750 to 3,000 pages
Media Types	Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, cardstock, transparencies, heavy media
Media Sizes, Std	Letter, legal, statement, executive, index cards, envelopes (No. 10, Monarch): tray 1; letter, legal, executive: tray 2; letter, legal, executive: tray 3
Media Sizes, Custom	3 x 5 in to 8.5 x 14 in: tray 1; 4.1 x 5.8 in to 8.5 x 14 in: tray 2; 4.1 x 5.8 in to 8.5 x 14 in: tray 3
Media Weights	16 to 43 lb (straight through paper path for special media): tray 1; 16 to 32 lb: trays 2, 3
Connectivity, Std	Hi-Speed USB 2.0, built-in HP Jetdirect Gigabit Ethernet networking
Connectivity, Opt	HP Jetdirect external and wireless print servers
Memory, Std	128 MB
Memory, Max	384 MB
ENERGY STAR® Qualified	Yes
Mac Compatible	Yes
Dimensions (W x D x H)	14.4 x 14.5 x 10.6 in ⁴
Weight	23.6 lb
Dimensions, Metric	365 x 368 x 268 mm ⁴
Weight, Metric	10.7 kg
Shipping Dimensions	18.93 x 13.00 x 18.30 in
Shipping Weight	28.8 lb
Shipping Dimensions, Metric	481 x 330 x 465 mm



Jetdirect Products

[HP Jetdirect ew2400](#) (Discontinued) (J7951G)

[HP Jetdirect ew2500](#) (J8021A)

[HP Jetdirect en1700](#) (Discontinued) (J7988G)

[HP Jetdirect en3700](#) (Discontinued) (J7942G)

Accessories

HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows 5.2 (J7980A/J7981A)

Cables

HP Hi-Speed USB Cable (6 ft./1.8 m) (Q6264A)

Memory and mass storage

DDR2 DIMM (144-pin): 32 MB (Discontinued) (CB420A)

DDR2 DIMM (144-pin): 64 MB (Discontinued) (CB421A)

DDR2 DIMM (144-pin): 128 MB (Discontinued) (CB422A)

DDR2 DIMM (144-pin): 256 MB (CB423A)

8 MB Flash/64 MB DDR2 combo 144-pin DIMM (CB456A)

Connectivity

HP USB Network Print Adapter (Discontinued) (Q6275A)

HP 2101nw Wireless G Print Server (Discontinued) (Q6301A)

Paper-handling accessories

500-Sheet Input Tray (CE464A)

LaserJet font solutions

HP Scalable BarCode Font Set/144-pin DIMM (HG282GT)

HP MICR Font/144-pin DIMM (HG283GS)

HP PCL 5 Legacy Font Set/144-pin DIMM (HG285GS)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 05A Black LaserJet Toner Cartridge ([CE505A](#))

HP 05X Black LaserJet Toner Cartridge ([CE505X](#))

HP 05X Black Dual Pack LaserJet Toner Cartridges ([CE505XD](#))

Compatible Paper Products

Top Recommended Papers

HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124

HP Laser Glossy Photo Paper

HP Laser Glossy Photo Paper			
8.5 x 11 in	58 lb	200 sheets	Q6607A

HP Laser Glossy Snapshot Photo Paper

HP Laser Glossy Snapshot Photo Paper			
4 x 6 in, borderless	58 lb bond	100 sheets	Q8842A

HP Premium Glossy Presentation Paper

HP Premium Glossy Presentation Paper			

8.5 x 11 in	32 lb	250 sheets	CG988A
-------------	-------	------------	------------------------

HP Laser Glossy Brochure Paper

HP Laser Glossy Brochure Paper			
8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	44 lb	250 sheets	Q6610A
8.5 x 11 in	40 lb	150 sheets	Q6611A

HP Laser Glossy Tri-fold Brochure Paper

HP Laser Glossy Tri-fold Brochure Paper			
8.5 x 11 in	40 lb bond	150 sheets	Q6612A

HP LaserJet Tough Paper

HP LaserJet Tough Paper			
8.5 x 11 in		50 sheets	Q1298A

HP Soft-gloss Presentation Paper

HP Soft-gloss Presentation Paper			
8.5 x 11 in	32 lb	200 sheets	Q6541A

HP Premium Choice Laser Paper

HP Premium Choice Laser Paper			
8.5 x 11 in	32 lb	500 sheets	HPU1132

HP LaserJet Paper

HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115RC

HP All-in-One Printing Paper

HP All-in-One Printing Paper			
8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	HPT115

HP Printing Paper

HP Printing Paper			
8.5 x 11 in	22 lb	500 sheets	HPP1122R
8.5 x 11 in	22 lb	5,000 sheets (10 reams)	HPP1122C

HP Multipurpose Paper

HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420

HP Office Paper

HP Office Paper			
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
8.5 x 14 in	20 lb	500 sheets	HPC8514
8.5 x 11 in	20 lb	500 sheets	HPC8511R

HP Office Quickpack

HP Office Quickpack

8.5 x 11 in	20 lb	2,500 sheets	HP2500S
-------------	-------	--------------	-------------------------

HP Office Recycled Paper

HP Office Recycled Paper

8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C

HP Business Copy Paper

HP Business Copy Paper

8.5 x 11 in	20 lb	500 sheets	HPBC11
-------------	-------	------------	------------------------

HP Everyday Copy and Print Paper

HP Everyday Copy and Print Paper

8.5 x 11 in	20 lb	500 sheets	HPA510
-------------	-------	------------	------------------------

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1 . Not included. Please purchase separately.
- 2 . Included print cartridge (CE505A): average black cartridge yield 2,300 standard pages. Replacement print cartridges: average black cartridge yield 2,300 standard pages for CE505A and 6,500 standard pages for CE505X. Declared yield values for replacement cartridges in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.
- 3 . Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 4 . Maximum dimension with Tray 1 input door and face-up output door open.